## 09682008 CLS

Most Frequently Occurring Classifications of Patents Returned From A Search of 09682008 on March 10, 2003

```
Original Classifications
    290/40R
    307/10.1
    307/64
    361/21
Cross-Reference Classifications
    60/39.281
  3 290/38R
  2 123/198D
  2 123/198DB
  2
    290/30R
    290/4R
  2
  2 307/10.1
    307/66
  2 318/139
  2 323/908
  2 361/21
  2 361/82
  2
    361/84
  2
    700/287
    701/100
Combined Classifications
  4 290/38R
  4 307/10.1
    361/21
    60/39.281
  3
                                                PLUS
Report
  3 290/30R
  2 123/198D
  2 123/198DB
  2 123/41.12
  2 290/31
  2 290/40R
  2 290/4R
  2 307/64
  2 307/66
  2 307/9.1
  2 318/139
  2 323/908
  2 361/56
  2 361/82
  2 361/84
```

361/92

2 700/287 2 701/100

## 09682008 CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returne

From A Search of 09682008 on March 10, 2003

(1 OR, 3 XR) 290/38R

4

290 : PRIME-MOVER DYNAMO PLANTS Class

ELECTRIC CONTROL 290/7

.Electric-starting motor 290/38R

(2 OR, 2 XR) 307/10.1

307 : ELECTRICAL TRANSMISSION OR INTERCONNECTION Class

SYSTEMS

VEHICLE MOUNTED SYSTEMS 307/9.1

.Automobile 307/10.1

(2 OR, 2 XR) 4 361/21

361 : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES Class

SAFETY AND PROTECTION OF SYSTEMS AND DEVICES 361/1

361/20 .Generator protective circuits

361/21 .. Voltage responsive

60/39.281 (0 OR, 3 XR)

060 : POWER PLANTS Class

COMBUSTION PRODUCTS USED AS MOTIVE FLUID 60/39.01

.Combined with regulation of power output 60/793

feature

..Automatic 60/39.24

...Fuel 60/39.281

(1 OR, 2 XR) 290/30R

290 : PRIME-MOVER DYNAMO PLANTS Class

ELECTRIC CONTROL 290/7

.Demand starters 290/30R

(0 OR, 2 XR) 123/198D

123 : INTERNAL-COMBUSTION ENGINES Class

ACCESSORIES 123/198R

.Safety devices 123/198D

(0 OR, 2 XR) 2 123/198DB

123 : INTERNAL-COMBUSTION ENGINES Class

ACCESSORIES 123/198R

.Fuel cut-off 123/198DB

(1 OR, 1 XR)2 123/41.12

123 : INTERNAL-COMBUSTION ENGINES Class

			09682008 CLSTITLES
	123/41.0 123/41.0 123/41.1 123/41.1	)2 .1	COOLING .Automatic coolant flow controlAir impeller
2	290/7	290	OR, 1 XR) : PRIME-MOVER DYNAMO PLANTS ELECTRIC CONTROL .Starting and generating dynamo
2	290/7		OR, 0 XR) : PRIME-MOVER DYNAMO PLANTS ELECTRIC CONTROL .Engine control
2	290/4R Class 290/4R	290	OR, 2 XR) : PRIME-MOVER DYNAMO PLANTS PLURAL PRIME MOVER
2	307/43	307	: ELECTRICAL TRANSMISSION OR INTERCONNECTION SYSTEMS PLURAL SUPPLY CIRCUITS OR SOURCES
2	307/64		.Substitute or emergency source OR. 2 XR)
۷	Class	307	: ELECTRICAL TRANSMISSION OR INTERCONNECTION SYSTEMS
	307/64		PLURAL SUPPLY CIRCUITS OR SOURCES .Substitute or emergency sourceStorage battery or accumulator
2	307/9.1 Class	(1 307	: ELECTRICAL TRANSMISSION OR INTERCONNECTION
	307/9.1		SYSTEMS VEHICLE MOUNTED SYSTEMS
, 2		318	OR, 2 XR) : ELECTRICITY: MOTIVE POWER SYSTEMS BATTERY-FED MOTOR SYSTEMS
2	323/908 Class	(0 323	OR, 2 XR) : ELECTRICITY: POWER SUPPLY OR REGULATION SYSTEMS
	323/908		INRUSH CURRENT LIMITERS
2			OR, 1 XR) : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES

Page 2

## 09682008\_CLSTITLES

		361/1 361/54		SAFETY AND PROTECTION OF SYSTEMS AND DEVICES .Load shunting by fault responsive means (e.g.
,		361/56		<pre>crowbar circuit)Voltage responsive</pre>
	2	361/82 Class	(0 361	OR, 2 XR) : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES
		361/1 361/78 361/79 361/82		SAFETY AND PROTECTION OF SYSTEMS AND DEVICES .With specific quantity comparison meansVoltage and currentReverse energy responsive (e.g., directional)
	2	361/84 Class		OR, 2 XR) : ELECTRICITY: ELECTRICAL SYSTEMS AND DEVICES
)		361/1 361/78 361/84		SAFETY AND PROTECTION OF SYSTEMS AND DEVICES .With specific quantity comparison means Reverse energy responsive (e.g., directional
	2	361/92 Class	(1 361	
		361/1 361/88		SAFETY AND PROTECTION OF SYSTEMS AND DEVICES .With specific voltage responsive fault sensor
	2	361/88 361/92		.With specific voltage responsive fault sensorUndervoltage  OR, 2 XR) : DATA PROCESSING: GENERIC CONTROL SYSTEMS OR
	2	361/88 361/92 700/287	700	.With specific voltage responsive fault sensorUndervoltage  OR, 2 XR) : DATA PROCESSING: GENERIC CONTROL SYSTEMS OR     SPECIFIC APPLICATIONS     SPECIFIC APPLICATION, APPARATUS OR PROCESS .Electrical power generation or distribution
	2	361/88 361/92 700/287 Class 700/90	700	.With specific voltage responsive fault sensorUndervoltage  OR, 2 XR) : DATA PROCESSING: GENERIC CONTROL SYSTEMS OR SPECIFIC APPLICATIONS SPECIFIC APPLICATION, APPARATUS OR PROCESS
	2	361/88 361/92 700/287 Class 700/90 700/286	700	.With specific voltage responsive fault sensorUndervoltage  OR, 2 XR) : DATA PROCESSING: GENERIC CONTROL SYSTEMS OR     SPECIFIC APPLICATIONS     SPECIFIC APPLICATION, APPARATUS OR PROCESS .Electrical power generation or distribution     systemTurbine or generator control  OR, 2 XR) : DATA PROCESSING: VEHICLES, NAVIGATION, AND
	-	361/88 361/92 700/287 Class 700/90 700/286 700/287	700	.With specific voltage responsive fault sensorUndervoltage  OR, 2 XR) : DATA PROCESSING: GENERIC CONTROL SYSTEMS OR     SPECIFIC APPLICATIONS     SPECIFIC APPLICATION, APPARATUS OR PROCESS .Electrical power generation or distribution     system     .Turbine or generator control  OR, 2 XR)

09682008\_CLSTITLES
..Gas turbine, compressor

701/100

## 09682008\_QUAL

5998884 86 6125798 86 6133707 86 3681611 86 3808451 86 4018044 86 4134272 86 4087847 86 4264855 86 4270156 86 4280161 86	5998884 86 6125798 86 6133707 86 3681611 86 3808451 86 4018044 86 4134272 86 4087847 86 4264855 86 4270156 86	4380146 5422778 5691692 3893007 4631470 4873601 5726505 4967096 4487180 4960080 5351529 4460834 4955431 5195007 4293281 4308463 RE31216 5003518 5402758 5561330 5925938	999999988888888888888888888888888888888
	4285027 86 4301376 86 4307300 86 4341996 86 4351405 86 4388569 86 4414551 86 4417640 86	3808451 4018044 4134272 4087847 4264855 4270156 4280161	86 86 86 86 86 86 86

09682008\_QUAL

4946096 86 4992904 86

Number	Hits	Search Text	
Tammer			DB
4	10	((multifunction or multi-function) same	
1	53	(multifunction or multi-function)	USPAT; US-PGPUB USPAT;
7	26	STATE DINTERPOLE	US-PGPUB USPAT
8	31	(multifunction or multi-function) same protect\$5 same relay	USPAT;
		I the relay	US-PGPUB

.

...

, : }